

Spannzangen DIN 6388-B

Collets type DIN 6388-B



415 E		462 E		467 E		467 E	
Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ
415020	ø2,0 - 1,5	462020	ø2,0 - 1,5			467165	ø16,5 - 16,0
415025	ø2,5 - 2,0	462025	ø2,5 - 2,0			467170	ø17,0 - 16,5
415030	ø3,0 - 2,5	462030	ø3,0 - 2,5			467175	ø17,5 - 17,0
415035	ø3,5 - 3,0	462035	ø3,5 - 3,0			467180	ø18,0 - 17,5
415040	ø4,0 - 3,5	462040	ø4,0 - 3,5	467040	ø4,0 - 3,5	467185	ø18,5 - 18,0
415045	ø4,5 - 4,0	462045	ø4,5 - 4,0	467045	ø4,5 - 4,0	467190	ø19,0 - 18,5
415050	ø5,0 - 4,5	462050	ø5,0 - 4,5	467050	ø5,0 - 4,5	467195	ø19,5 - 19,0
415055	ø5,5 - 5,0	462055	ø5,5 - 5,0	467055	ø5,5 - 5,0	467200	ø20,0 - 19,5
415060	ø6,0 - 5,5	462060	ø6,0 - 5,5	467060	ø6,0 - 5,5	467205	ø20,5 - 20,0
415065	ø6,5 - 6,0	462065	ø6,5 - 6,0	467065	ø6,5 - 6,0	467210	ø21,0 - 20,5
415070	ø7,0 - 6,5	462070	ø7,0 - 6,5	467070	ø7,0 - 6,5	467215	ø21,5 - 21,0
415075	ø7,5 - 6,5	462075	ø7,5 - 7,0	467075	ø7,5 - 7,0	467220	ø22,0 - 21,5
415080	ø8,0 - 7,5	462080	ø8,0 - 7,5	467080	ø8,0 - 7,5	467225	ø22,5 - 22,0
415085	ø8,5 - 8,0	462085	ø8,5 - 8,0	467085	ø8,5 - 8,0	467230	ø23,0 - 22,5
415090	ø9,0 - 8,5	462090	ø9,0 - 8,5	467090	ø9,0 - 8,5	467235	ø23,5 - 23,0
415095	ø9,5 - 9,0	462095	ø9,5 - 9,0	467095	ø9,5 - 9,0	467240	ø24,0 - 23,5
415100	ø10,0 - 9,5	462100	ø10,0 - 9,5	467100	ø10,0 - 9,5	467245	ø24,5 - 24,0
415105	ø10,5 - 10,0	462105	ø10,5 - 10,0	467105	ø10,5 - 10,0	467250	ø25,0 - 24,5
415110	ø11,0 - 10,5	462110	ø11,0 - 10,5	467110	ø11,0 - 10,5	467255	ø25,5 - 25,0
415115	ø11,5 - 11,0	462115	ø11,5 - 11,0	467115	ø11,5 - 11,0	467260	ø26,0 - 25,5
415120	ø12,0 - 11,5	462120	ø12,0 - 11,5	467120	ø12,0 - 11,5	467265	ø26,5 - 26,0
415125	ø12,5 - 12,0	462125	ø12,5 - 12,0	467125	ø12,5 - 12,0	467270	ø27,0 - 26,5
415130	ø13,0 - 12,5	462130	ø13,0 - 12,5	467130	ø13,0 - 12,5	467275	ø27,5 - 27,0
415135	ø13,5 - 13,0	462135	ø13,5 - 13,0	467135	ø13,5 - 13,0	467280	ø28,0 - 27,5
415140	ø14,0 - 13,5	462140	ø14,0 - 13,5	467140	ø14,0 - 13,5	467285	ø28,5 - 28,0
415145	ø14,5 - 14,0	462145	ø14,5 - 14,0	467145	ø14,5 - 14,0	467290	ø29,0 - 28,5
415150	ø15,0 - 14,5	462150	ø15,0 - 14,5	467150	ø15,0 - 14,5	467295	ø29,5 - 29,0
415155	ø15,5 - 15,0	462155	ø15,5 - 15,0	467155	ø15,5 - 15,0	467300	ø30,0 - 29,5
415160	ø16,0 - 15,5	462160	ø16,0 - 15,5	467160	ø16,0 - 15,5	467305	ø30,5 - 30,0
		462165	ø16,5 - 16,0			467310	ø31,0 - 30,5
		462170	ø17,0 - 16,5			467315	ø31,5 - 31,0
		462175	ø17,5 - 17,0			467320	ø32,0 - 31,5
		462180	ø18,0 - 17,5				
		462185	ø18,5 - 18,0				
		462190	ø19,0 - 18,5				
		462195	ø19,5 - 19,0				
		462200	ø20,0 - 19,5				
		462205	ø20,5 - 20,0				
		462210	ø21,0 - 20,5				
		462215	ø21,5 - 21,0				
		462220	ø22,0 - 21,5				
		462225	ø22,5 - 22,0				
		462230	ø23,0 - 22,5				
		462235	ø23,5 - 23,0				
		462240	ø24,0 - 23,5				
		462245	ø24,5 - 24,0				
		462250	ø25,0 - 24,5				



Original rego-fix



ER 8		ER 11/424 E		ER 16/426 E		ER 20/428 E	
Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ
108001	Satz / Set	111001	Satz / Set	116001	Satz / Set	120001	Satz / Set
		111001.	Satz / Set	116001.	Satz / Set	120001.	Satz / Set
	9 Stück/pcs.		13 Stück/pcs.		10 Stück/pcs.		12 Stück/pcs.
108010	ø1,0 - 0,5	111010	ø1,0 - 0,5	116010	ø1,0 - 0,5	120010	ø1,0 - 0,5
108015	ø1,5 - 1,0	111015	ø1,5 - 1,0	116020	ø2,0 - 1,0	120020	ø2,0 - 1,0
108020	ø2,0 - 1,5	111020	ø2,0 - 1,5	116030	ø3,0 - 2,0	120030	ø3,0 - 2,0
108025	ø2,5 - 2,0	111025	ø2,5 - 2,0	116040	ø4,0 - 3,0	120040	ø4,0 - 3,0
108030	ø3,0 - 2,5	111030	ø3,0 - 2,5	116050	ø5,0 - 4,0	120050	ø5,0 - 4,0
108035	ø3,5 - 3,0	111035	ø3,5 - 3,0	116060	ø6,0 - 5,0	120060	ø6,0 - 5,0
108040	ø4,0 - 3,5	111040	ø4,0 - 3,5	116070	ø7,0 - 6,0	120070	ø7,0 - 6,0
108045	ø4,5 - 4,0	111045	ø4,5 - 4,0	116080	ø8,0 - 7,0	120080	ø8,0 - 7,0
108050	ø5,0 - 4,5	111050	ø5,0 - 4,5	116090	ø9,0 - 8,0	120090	ø9,0 - 8,0
		111055	ø5,5 - 5,0	116100	ø10,0 - 9,0	120100	ø10,0 - 9,0
		111060	ø6,0 - 5,5		ER 40/472 E	120110	ø11,0 - 10,0
		111065	ø6,5 - 6,0	140001	Satz / Set	120120	ø12,0 - 11,0
		111070	ø7,0 - 6,5	140001.	Satz / Set	120130	ø13,0 - 12,0
					23 Stück/pcs.		ER 50/474 E
	ER 25/430 E		ER 32/470 E				
125001	Satz / Set	132001	Satz / Set	140030	ø3,0 - 2,0	150001	Satz / Set
125001.	Satz / Set	132001.	Satz / Set	140040	ø4,0 - 3,0		12 Stück/pcs.
	15 Stück/pcs.		18 Stück/pcs.	140050	ø5,0 - 4,0	150060	ø6,0 - 5,0
125010	ø1,0 - 0,5			140060	ø6,0 - 5,0	150080	ø8,0 - 6,0
125020	ø2,0 - 1,0	132020	ø2,0 - 1,0	140070	ø7,0 - 6,0	150100	ø10,0 - 8,0
125030	ø3,0 - 2,0	132030	ø3,0 - 2,0	140080	ø8,0 - 7,0	150120	ø12,0 - 10,0
125040	ø4,0 - 3,0	132040	ø4,0 - 3,0	140090	ø9,0 - 8,0	150140	ø14,0 - 12,0
125050	ø5,0 - 4,0	132050	ø5,0 - 4,0	140100	ø10,0 - 9,0	150160	ø16,0 - 14,0
125060	ø6,0 - 5,0	132060	ø6,0 - 5,0	140110	ø11,0 - 10,0	150180	ø18,0 - 16,0
125070	ø7,0 - 6,0	132070	ø7,0 - 6,0	140120	ø12,0 - 11,0	150200	ø20,0 - 18,0
125080	ø8,0 - 7,0	132080	ø8,0 - 7,0	140130	ø13,0 - 12,0	150220	ø22,0 - 20,0
125090	ø9,0 - 8,0	132090	ø9,0 - 8,0	140140	ø14,0 - 13,0	150240	ø24,0 - 22,0
125100	ø10,0 - 9,0	132100	ø10,0 - 9,0	140150	ø15,0 - 14,0	150250	ø25,0 - 23,0
125110	ø11,0 - 10,0	132110	ø11,0 - 10,0	140160	ø16,0 - 15,0	150260	ø26,0 - 24,0
125120	ø12,0 - 11,0	132120	ø12,0 - 11,0	140170	ø17,0 - 16,0	150280	ø28,0 - 26,0
125130	ø13,0 - 12,0	132130	ø13,0 - 12,0	140180	ø18,0 - 17,0	150300	ø30,0 - 28,0
125140	ø14,0 - 13,0	132140	ø14,0 - 13,0	140190	ø19,0 - 18,0	150320	ø32,0 - 30,0
125150	ø15,0 - 14,0	132150	ø15,0 - 14,0	140200	ø20,0 - 19,0	150340	ø34,0 - 32,0
125160	ø16,0 - 15,0	132160	ø16,0 - 15,0	140210	ø21,0 - 20,0		
		132170	ø17,0 - 16,0	140220	ø22,0 - 21,0		
		132180	ø18,0 - 17,0	140230	ø23,0 - 22,0		
		132190	ø19,0 - 18,0	140240	ø24,0 - 23,0		
		132200	ø20,0 - 19,0	140250	ø25,0 - 24,0		
				140260	ø26,0 - 25,0		
				140270	ø27,0 - 26,0		
				140280	ø28,0 - 27,0		
				140290	ø29,0 - 28,0		
				140300	ø30,0 - 29,0		
Sätze mit . z.B. 125001. nicht Original rego-fix							
Sets with . e.g. 125001. no original rego-fix							

Gewindebohrzangen ohne Längenausgleich

Zubehör + Ersatzteile

Tapping collets without axial compensation / Accessories and spare parts



Original rego-fix



ER 16-GB

ER 25-GB

ER 32-GB

ER 40-GB

Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ
GB116045	ø4,5x3,4	GB125045	ø4,5x3,4	GB132045	ø4,5x 3,4	GB140070	ø7,0x 5,5
GB116055	ø5,5x4,3	GB125055	ø5,5x4,3	GB132055	ø5,5x 4,3	GB140080	ø8,0x 6,2
GB116060	ø6,0x4,9	GB125060	ø6,0x4,9	GB132060	ø6,0x 4,9	GB140090	ø9,0x 7,0
GB116070	ø7,0x5,5	GB125070	ø7,0x5,5	GB132070	ø7,0x 5,5	GB140100	ø10,0x 8,0
ER 20-GB		GB125080	ø8,0x6,2	GB132080	ø8,0x 6,2	GB140110	ø11,0x 9,0
GB120045	ø4,5x3,4	GB125090	ø9,0x7,0	GB132090	ø9,0x 7,0	GB140120	ø12,0x 9,0
GB120055	ø5,5x4,3	GB125100	ø10,0x8,0	GB132100	ø10,0x 8,0	GB140140	ø14,0x11,0
GB120060	ø6,0x4,9	GB125110	ø11,0x9,0	GB132110	ø11,0x 9,0	GB140160	ø16,0x12,0
GB120070	ø7,0x5,5	GB125120	ø12,0x9,0	GB132120	ø12,0x 9,0	GB140180	ø18,0x14,5
GB120080	ø8,0x6,2			GB132140	ø14,0x11,0	GB140200	ø20,0x16,0
GB120090	ø9,0x7,0			GB132160	ø16,0x12,0	GB140220	ø22,0x18,0
GB120100	ø10,0x8,0						

Hakenschlüssel mini Hook spanner mini



Schlüssel DIN 6368 Key DIN 6368



Mitnehmerring DIN 6366 Clutch drive rings to DIN 6366




Fräseranzugschraube DIN 6367 Drawn - in bolt to DIN 6367



Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ
908160	E 8 mini	170101	ø16	160101	ø16x10	163100	M 8x ø16
911160	E 11 mini	171101	ø22	161101	ø22x12	164100	M10x ø22
916160	E 16 mini	172101	ø27	162101	ø27x12	165100	M12x ø27
920160	E 20 mini	173101	ø32	163101	ø32x14	166100	M16x ø32
925160	E 25 mini	174101	ø40	164101	ø40x14	167100	M20x ø40
				165101	ø50x16	168100	M24x ø50

Hakenschlüssel Hook spanner



Wischer für SK + MK Cone cleaner SK + MK



Spannschraube Weldon Clamping screw Weldon



Gewindebohrzangen PCM ET1 mit Längenausgleich Tapping collets PCM ET1 with compensation



Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ	Art.-Nr.	Typ
911180	GS 17	284100	SK 30	147100	M 6x10	ET1-16...	M1 - M 6
916180	GS 25	285100	SK 40	148100	M 8x10	ET1-20...	M1 - M 8
920180	GS 30	286100	SK 50	149100	M10x12	ET1-25...	M3 - M12
916181	E 16	341100	MK 2	150100	M12x16	ET1-32...	M4 - M16
920181	E 20	342100	MK 3	151100	M14x16	ET1-40...	M6 - M20
932180	E 32	343100	MK 4	152100	M16x16	Gewindebohrerschaft ø angeben Please indicate tap shank ø	
932180	E 32	344100	MK 5	153100	M18x2x20		
940180	E 40			154100	M20x2x20		
950180	E 50						

<p>Spannmutter DIN 6499 Clamping nut DIN 6499</p>  <p>711120 716120</p>	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>G</th> <th>Nm max.</th> </tr> </thead> <tbody> <tr><td>711120</td><td>UMQ / ER11</td><td>19</td><td>11</td><td>M 14x0,75</td><td>30</td></tr> <tr><td>716120</td><td>UMQ / ER16</td><td>28</td><td>17</td><td>M 22x1,50</td><td>70</td></tr> <tr><td>720120</td><td>UMQ / ER20</td><td>34</td><td>19</td><td>M 25x1,50</td><td>100</td></tr> <tr><td>725120</td><td>UMQ / ER25</td><td>42</td><td>20</td><td>M 32x1,50</td><td>130</td></tr> <tr><td>732120</td><td>UMQ / ER32</td><td>50</td><td>22</td><td>M 40x1,50</td><td>170</td></tr> <tr><td>740120</td><td>UMQ / ER40</td><td>63</td><td>25</td><td>M 50x1,50</td><td>220</td></tr> <tr><td>750120</td><td>UMQ / ER50</td><td>78</td><td>35</td><td>M 64x2,00</td><td>300</td></tr> </tbody> </table>	Art.-Nr.	Typ	D	b	G	Nm max.	711120	UMQ / ER11	19	11	M 14x0,75	30	716120	UMQ / ER16	28	17	M 22x1,50	70	720120	UMQ / ER20	34	19	M 25x1,50	100	725120	UMQ / ER25	42	20	M 32x1,50	130	732120	UMQ / ER32	50	22	M 40x1,50	170	740120	UMQ / ER40	63	25	M 50x1,50	220	750120	UMQ / ER50	78	35	M 64x2,00	300
Art.-Nr.	Typ	D	b	G	Nm max.																																												
711120	UMQ / ER11	19	11	M 14x0,75	30																																												
716120	UMQ / ER16	28	17	M 22x1,50	70																																												
720120	UMQ / ER20	34	19	M 25x1,50	100																																												
725120	UMQ / ER25	42	20	M 32x1,50	130																																												
732120	UMQ / ER32	50	22	M 40x1,50	170																																												
740120	UMQ / ER40	63	25	M 50x1,50	220																																												
750120	UMQ / ER50	78	35	M 64x2,00	300																																												
<p>Spannmutter gleitgelagert DIN 6499 Clamping nut friction bearing DIN 6499</p> 	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>G</th> <th>Nm max.</th> </tr> </thead> <tbody> <tr><td>716123</td><td>GMG / ER16</td><td>28</td><td>18</td><td>M 22x1,50</td><td>70</td></tr> <tr><td>720123</td><td>GMG / ER20</td><td>34</td><td>20</td><td>M 25x1,50</td><td>100</td></tr> <tr><td>725123</td><td>GMG / ER25</td><td>42</td><td>20</td><td>M 32x1,50</td><td>130</td></tr> <tr><td>732123</td><td>GMG / ER32</td><td>50</td><td>23</td><td>M 40x1,50</td><td>170</td></tr> <tr><td>740123</td><td>GMG / ER40</td><td>63</td><td>26</td><td>M 50x1,50</td><td>220</td></tr> </tbody> </table>	Art.-Nr.	Typ	D	b	G	Nm max.	716123	GMG / ER16	28	18	M 22x1,50	70	720123	GMG / ER20	34	20	M 25x1,50	100	725123	GMG / ER25	42	20	M 32x1,50	130	732123	GMG / ER32	50	23	M 40x1,50	170	740123	GMG / ER40	63	26	M 50x1,50	220												
Art.-Nr.	Typ	D	b	G	Nm max.																																												
716123	GMG / ER16	28	18	M 22x1,50	70																																												
720123	GMG / ER20	34	20	M 25x1,50	100																																												
725123	GMG / ER25	42	20	M 32x1,50	130																																												
732123	GMG / ER32	50	23	M 40x1,50	170																																												
740123	GMG / ER40	63	26	M 50x1,50	220																																												
<p>Spannmutter gleitgelagert DIN 6499 für Dichtscheiben Clamping nut friction bearing DIN 6499 for sealing disc</p> 	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>G</th> <th>Nm max.</th> </tr> </thead> <tbody> <tr><td>716124</td><td>GMGC / ER16</td><td>28</td><td>23</td><td>M 22x1,50</td><td>70</td></tr> <tr><td>720124</td><td>GMGC / ER20</td><td>34</td><td>25</td><td>M 25x1,50</td><td>100</td></tr> <tr><td>725124</td><td>GMGC / ER25</td><td>42</td><td>26</td><td>M 32x1,50</td><td>130</td></tr> <tr><td>732124</td><td>GMGC / ER32</td><td>50</td><td>28</td><td>M 40x1,50</td><td>170</td></tr> <tr><td>740124</td><td>GMGC / ER40</td><td>63</td><td>31</td><td>M 50x1,50</td><td>220</td></tr> </tbody> </table>	Art.-Nr.	Typ	D	b	G	Nm max.	716124	GMGC / ER16	28	23	M 22x1,50	70	720124	GMGC / ER20	34	25	M 25x1,50	100	725124	GMGC / ER25	42	26	M 32x1,50	130	732124	GMGC / ER32	50	28	M 40x1,50	170	740124	GMGC / ER40	63	31	M 50x1,50	220												
Art.-Nr.	Typ	D	b	G	Nm max.																																												
716124	GMGC / ER16	28	23	M 22x1,50	70																																												
720124	GMGC / ER20	34	25	M 25x1,50	100																																												
725124	GMGC / ER25	42	26	M 32x1,50	130																																												
732124	GMGC / ER32	50	28	M 40x1,50	170																																												
740124	GMGC / ER40	63	31	M 50x1,50	220																																												
<p>Spannmutter DIN 6388 Clamping nut DIN 6388</p> 	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>G</th> <th>Nm max.</th> </tr> </thead> <tbody> <tr><td>816123</td><td>OZ 16</td><td>43</td><td>24</td><td>M 33x1,50</td><td>130</td></tr> <tr><td>825123</td><td>OZ 25</td><td>60</td><td>30</td><td>M 48x2,00</td><td>200</td></tr> <tr><td>832123</td><td>OZ 32</td><td>72</td><td>34</td><td>M 60x2,50</td><td>220</td></tr> <tr><td>840123</td><td>OZ 40</td><td>85</td><td>37</td><td>M 68x2,50</td><td>270</td></tr> </tbody> </table>	Art.-Nr.	Typ	D	b	G	Nm max.	816123	OZ 16	43	24	M 33x1,50	130	825123	OZ 25	60	30	M 48x2,00	200	832123	OZ 32	72	34	M 60x2,50	220	840123	OZ 40	85	37	M 68x2,50	270																		
Art.-Nr.	Typ	D	b	G	Nm max.																																												
816123	OZ 16	43	24	M 33x1,50	130																																												
825123	OZ 25	60	30	M 48x2,00	200																																												
832123	OZ 32	72	34	M 60x2,50	220																																												
840123	OZ 40	85	37	M 68x2,50	270																																												
<p>Spannmutter DIN 6388 für Dichtscheiben Clamping nut DIN 6388 for sealing disc</p> 	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>G</th> <th>Nm max.</th> </tr> </thead> <tbody> <tr><td>816124</td><td>OZC 16</td><td>43</td><td>29</td><td>M 33x1,50</td><td>130</td></tr> <tr><td>825124</td><td>OZC 25</td><td>60</td><td>35</td><td>M 48x2,00</td><td>200</td></tr> <tr><td>832124</td><td>OZC 32</td><td>72</td><td>38</td><td>M 60x2,50</td><td>220</td></tr> </tbody> </table> <p>Dichtscheiben für OZC16 DS/ER25, für OZC32 DS/ER40 einsetzen Sealing disc for OZC16 DS&ER25, for OZC32 DS/ER40 must be used</p>	Art.-Nr.	Typ	D	b	G	Nm max.	816124	OZC 16	43	29	M 33x1,50	130	825124	OZC 25	60	35	M 48x2,00	200	832124	OZC 32	72	38	M 60x2,50	220																								
Art.-Nr.	Typ	D	b	G	Nm max.																																												
816124	OZC 16	43	29	M 33x1,50	130																																												
825124	OZC 25	60	35	M 48x2,00	200																																												
832124	OZC 32	72	38	M 60x2,50	220																																												
<p>Spannmutter Mini Clamping nut Mini</p> 	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>G</th> <th>Nm max.</th> </tr> </thead> <tbody> <tr><td>908100</td><td>ER - 8M</td><td>12</td><td>11</td><td>M 10x0,75</td><td>6</td></tr> <tr><td>911100</td><td>ER - 11M</td><td>16</td><td>11</td><td>M 13x1,00</td><td>20</td></tr> <tr><td>916100</td><td>ER - 16M</td><td>22</td><td>17</td><td>M 19x1,00</td><td>30</td></tr> <tr><td>920100</td><td>ER - 20M</td><td>28</td><td>19</td><td>M 24x1,00</td><td>35</td></tr> <tr><td>925100</td><td>ER - 25M</td><td>35</td><td>20</td><td>M 30x1,00</td><td>40</td></tr> </tbody> </table>	Art.-Nr.	Typ	D	b	G	Nm max.	908100	ER - 8M	12	11	M 10x0,75	6	911100	ER - 11M	16	11	M 13x1,00	20	916100	ER - 16M	22	17	M 19x1,00	30	920100	ER - 20M	28	19	M 24x1,00	35	925100	ER - 25M	35	20	M 30x1,00	40												
Art.-Nr.	Typ	D	b	G	Nm max.																																												
908100	ER - 8M	12	11	M 10x0,75	6																																												
911100	ER - 11M	16	11	M 13x1,00	20																																												
916100	ER - 16M	22	17	M 19x1,00	30																																												
920100	ER - 20M	28	19	M 24x1,00	35																																												
925100	ER - 25M	35	20	M 30x1,00	40																																												
<p>Dichtscheiben Sealing disc</p> 	<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Typ</th> <th>D</th> <th>b</th> <th>d1</th> </tr> </thead> <tbody> <tr><td>316...</td><td>DS / ER16</td><td>13,0</td><td>4</td><td>316050 - 316100</td></tr> <tr><td>320...</td><td>DS / ER20</td><td>16,0</td><td>4</td><td>320050 - 320130</td></tr> <tr><td>325...</td><td>DS / ER25</td><td>21,0</td><td>4</td><td>325050 - 325160</td></tr> <tr><td>332...</td><td>DS / ER32</td><td>27,0</td><td>4</td><td>332050 - 332200</td></tr> <tr><td>340...</td><td>DS / ER40</td><td>33,5</td><td>4</td><td>340050 - 340260</td></tr> <tr><td>350...</td><td>DS / OZ25</td><td>31,0</td><td>4</td><td>350050 - 350250</td></tr> </tbody> </table> <p>Kühlmitteldruck min. 5 bar - max. 100 bar Coolant pressure min. 5 bar - max. 100 bar</p>	Art.-Nr.	Typ	D	b	d1	316...	DS / ER16	13,0	4	316050 - 316100	320...	DS / ER20	16,0	4	320050 - 320130	325...	DS / ER25	21,0	4	325050 - 325160	332...	DS / ER32	27,0	4	332050 - 332200	340...	DS / ER40	33,5	4	340050 - 340260	350...	DS / OZ25	31,0	4	350050 - 350250													
Art.-Nr.	Typ	D	b	d1																																													
316...	DS / ER16	13,0	4	316050 - 316100																																													
320...	DS / ER20	16,0	4	320050 - 320130																																													
325...	DS / ER25	21,0	4	325050 - 325160																																													
332...	DS / ER32	27,0	4	332050 - 332200																																													
340...	DS / ER40	33,5	4	340050 - 340260																																													
350...	DS / OZ25	31,0	4	350050 - 350250																																													